

- 0 – *VIX\_OK*  
The operation was successful.
  
- 1 – *VIX\_E\_FAIL*  
Unknown error.
  
- 2 – *VIX\_E\_OUT\_OF\_MEMORY*  
Memory allocation failed: out of memory.
  
- 3 – *VIX\_E\_INVALID\_ARG*  
One of the parameters was invalid.
  
- 4 – *VIX\_E\_FILE\_NOT\_FOUND*  
A file was not found.
  
- 5 – *VIX\_E\_OBJECT\_IS\_BUSY*  
This function cannot be performed because the handle is executing another function.
  
- 6 – *VIX\_E\_NOT\_SUPPORTED*  
The operation is not supported for the specified parameters.
  
- 7 – *VIX\_E\_FILE\_ERROR*  
A file access error occurred on the host or guest operating system.
  
- 8 – *VIX\_E\_DISK\_FULL*  
An error occurred while writing a file; the disk is full. Data has not been saved. Free some space and try again.
  
- 9 – *VIX\_E\_INCORRECT\_FILE\_TYPE*  
An error occurred while accessing a file: wrong file type.
  
- 10 – *VIX\_E\_CANCELLED*  
The operation was cancelled.
  
- 11 – *VIX\_E\_FILE\_READ\_ONLY*  
The file is write-protected.
  
- 12 – *VIX\_E\_FILE\_ALREADY\_EXISTS*  
The file already exists.
  
- 13 – *VIX\_E\_FILE\_ACCESS\_ERROR*  
You do not have access rights to this file.
  
- 14 – *VIX\_E\_REQUIRES\_LARGE\_FILES*  
The file system does not support sufficiently large files.

- 15 - *VIX\_E\_FILE\_ALREADY\_LOCKED*  
The file is already in use.
- 16 - *VIX\_E\_VMDB*  
The system returned an error. Communication with the virtual machine may have been interrupted.
- 20 - *VIX\_E\_NOT\_SUPPORTED\_ON\_REMOTE\_OBJECT*  
The command is not supported on remote objects.
- 21 - *VIX\_E\_FILE\_TOO\_BIG*  
The file is too big for the filesystem.
- 22 - *VIX\_E\_FILE\_NAME\_INVALID*  
The file name is not valid.
- 23 - *VIX\_E\_ALREADY\_EXISTS*  
Already exists.
- 24 - *VIX\_E\_BUFFER\_TOOSMALL*  
Buffer is too small.
- 1000 - *VIX\_E\_INVALID\_HANDLE*  
The handle is not a valid VIX object.
- 1001 - *VIX\_E\_NOT\_SUPPORTED\_ON\_HANDLE\_TYPE*  
The operation is not supported on this type of handle.
- 1002 - *VIX\_E\_TOO\_MANY\_HANDLES*  
Too many handles are open.
- 2000 - *VIX\_E\_NOT\_FOUND*  
Invalid file - a required section of the file is missing.
- 2001 - *VIX\_E\_TYPE\_MISMATCH*  
Invalid file - an object has the wrong type.
- 2002 - *VIX\_E\_INVALID\_XML*  
Invalid file - contents may be corrupt.
- 3000 - *VIX\_E\_TIMEOUT\_WAITING\_FOR\_TOOLS*  
Timeout error while waiting for the guest tools to start.

- 3001 – *VIX\_E\_UNRECOGNIZED\_COMMAND*  
The command is not recognized by the virtual machine.
  
- 3003 – *VIX\_E\_OP\_NOT\_SUPPORTED\_ON\_GUEST*  
The requested operation is not supported on this guest operating system.
  
- 3004 – *VIX\_E\_PROGRAM\_NOT\_STARTED*  
A program could not run on the guest operating system.
  
- 3005 – *VIX\_E\_CANNOT\_START\_READ\_ONLY\_VM*  
Cannot power on a read-only virtual machine.
  
- 3006 – *VIX\_E\_VM\_NOT\_RUNNING*  
The virtual machine needs to be powered on.
  
- 3007 – *VIX\_E\_VM\_IS\_RUNNING*  
The virtual machine should not be powered on. It appears to be running already.
  
- 3008 – *VIX\_E\_CANNOT\_CONNECT\_TO\_VM*  
Cannot connect to the virtual machine.
  
- 3009 – *VIX\_E\_POWEROP\_SCRIPTS\_NOT\_AVAILABLE*  
Cannot execute scripts.
  
- 3010 – *VIX\_E\_NO\_GUEST\_OS\_INSTALLED*  
No operating system installed in the virtual machine.
  
- 3011 – *VIX\_E\_VM\_INSUFFICIENT\_HOST\_MEMORY*  
Not enough physical memory is available to power on this virtual machine.
  
- 3012 – *VIX\_E\_SUSPEND\_ERROR*  
An error occurred while suspending the virtual machine.
  
- 3013 – *VIX\_E\_VM\_NOT\_ENOUGH\_CPUS*  
This virtual machine is configured to run with 2 CPUs, but the host only has 1 CPU. The virtual machine cannot be powered on.
  
- 3014 – *VIX\_E\_HOST\_USER\_PERMISSIONS*  
Insufficient permissions in host operating system.
  
- 3015 – *VIX\_E\_GUEST\_USER\_PERMISSIONS*  
Authentication failure or insufficient permissions in guest operating system.
  
- 3016 – *VIX\_E\_TOOLS\_NOT\_RUNNING*  
Guest tools is not running.

- 3017 – *VIX\_E\_GUEST\_OPERATIONS\_PROHIBITED*  
Guest operations are not allowed on this virtual machine.
  
- 3018 – *VIX\_E\_ANON\_GUEST\_OPERATIONS\_PROHIBITED*  
Guest operations are not allowed for the anonymous user on this virtual machine.
  
- 3019 – *VIX\_E\_ROOT\_GUEST\_OPERATIONS\_PROHIBITED*  
Guest operations are not allowed for administrative user on this virtual machine.
  
- 3023 – *VIX\_E\_MISSING\_ANON\_GUEST\_ACCOUNT*  
The virtual machine configuration must specify guest account name to be used for anonymous guest operations.
  
- 3024 – *VIX\_E\_CANNOT\_AUTHENTICATE\_WITH\_GUEST*  
The virtual machine cannot authenticate users with guest.
  
- 3025 – *VIX\_E\_UNRECOGNIZED\_COMMAND\_IN\_GUEST*  
The command is not recognized by the Guest OS tools.
  
- 3026 – *VIX\_E\_CONSOLE\_GUEST\_OPERATIONS\_PROHIBITED*  
Guest operations are not allowed for console user on this virtual machine.
  
- 3027 – *VIX\_E\_MUST\_BE\_CONSOLE\_USER*  
The command can only be run by console user.
  
- 3028 – *VIX\_E\_VMX\_MSG\_DIALOG\_AND\_NO\_UI*  
The virtual machine is blocked waiting for a user operation.
  
- 3029 – *VIX\_E\_NOT\_ALLOWED\_DURING\_VM\_RECORDING*  
Not allowed while the virtual machine is recording.
  
- 3030 – *VIX\_E\_NOT\_ALLOWED\_DURING\_VM\_REPLAY*  
Not allowed while the virtual machine is replaying.
  
- 3031 – *VIX\_E\_OPERATION\_NOT\_ALLOWED\_FOR\_LOGIN\_TYPE*  
The command is not allowed by this login type.
  
- 3032 – *VIX\_E\_LOGIN\_TYPE\_NOT\_SUPPORTED*  
This login type is not supported.
  
- 3033 – *VIX\_E\_EMPTY\_PASSWORD\_NOT\_ALLOWED\_IN\_GUEST*  
The guest does not support empty passwords.

- 4000 – *VIX\_E\_VM\_NOT\_FOUND*  
The virtual machine cannot be found.
- 4001 – *VIX\_E\_NOT\_SUPPORTED\_FOR\_VM\_VERSION*  
The operation is not supported for this virtual machine version.
- 4002 – *VIX\_E\_CANNOT\_READ\_VM\_CONFIG*  
Cannot read the virtual machine configuration file.
- 4003 – *VIX\_E\_TEMPLATE\_VM*  
Cannot perform this operation on a template virtual machine.
- 4004 – *VIX\_E\_VM\_ALREADY\_LOADED*  
The virtual machine has already been loaded.
- 4006 – *VIX\_E\_VM\_ALREADY\_UP\_TO\_DATE*  
The virtual machine is already up-to-date.
- 6000 – *VIX\_E\_UNRECOGNIZED\_PROPERTY*  
Unrecognized handle property identifier.
- 6001 – *VIX\_E\_INVALID\_PROPERTY\_VALUE*  
Invalid property value.
- 6002 – *VIX\_E\_READ\_ONLY\_PROPERTY*  
Cannot change a read-only property.
- 6003 – *VIX\_E\_MISSING\_REQUIRED\_PROPERTY*  
This handle is missing a required property.
- 8000 – *VIX\_E\_BAD\_VM\_INDEX*  
The index parameter does not correspond to a result set.
- 10000 – *VIX\_E\_INVALID\_MESSAGE\_HEADER*  
A message header was corrupted or has the incorrect version.
- 10001 – *VIX\_E\_INVALID\_MESSAGE\_BODY*  
A message body was corrupted or is missing.
- 13000 – *VIX\_E\_SNAPSHOT\_INVAL*  
The snapshot is incompatible with the current host.
- 13001 – *VIX\_E\_SNAPSHOT\_DUMPER*  
Unable to open snapshot file.

13002 – *VIX\_E\_SNAPSHOT\_DISKLIB*  
Disk problem.

13003 – *VIX\_E\_SNAPSHOT\_NOTFOUND*  
A file by that name does not exist.

13004 – *VIX\_E\_SNAPSHOT\_EXISTS*  
A file by that name already exists.

13005 – *VIX\_E\_SNAPSHOT\_VERSION*  
Snapshots are not allowed on this virtual machine.

13006 – *VIX\_E\_SNAPSHOT\_NOPERM*  
Insufficient permissions.

13007 – *VIX\_E\_SNAPSHOT\_CONFIG*  
Something is wrong with the configuration file.

13008 – *VIX\_E\_SNAPSHOT\_NOCHANGE*  
The state of the virtual machine has not changed since the last snapshot operation.

13009 – *VIX\_E\_SNAPSHOT\_CHECKPOINT*  
Unable to save snapshot file.

13010 – *VIX\_E\_SNAPSHOT\_LOCKED*  
A snapshot operation is already in progress.

13011 – *VIX\_E\_SNAPSHOT\_INCONSISTENT*  
The snapshot files are in an inconsistent state.

13012 – *VIX\_E\_SNAPSHOT\_NAMETOOLONG*  
The filename is too long.

13013 – *VIX\_E\_SNAPSHOT\_VIXFILE*  
Cannot snapshot all metadata files.

13014 – *VIX\_E\_SNAPSHOT\_DISKLOCKED*  
One or more of the disks are busy.

13015 – *VIX\_E\_SNAPSHOT\_DUPLICATEDDISK*  
The virtual disk is used multiple times.

- 13016 – *VIX\_E\_SNAPSHOT\_INDEPENDENTDISK*  
Powered on snapshot are not allowed on virtual machines with independent disks.
- 13017 – *VIX\_E\_SNAPSHOT\_NONUNIQUE\_NAME*  
The name does not uniquely identify one snapshot.
- 14003 – *VIX\_E\_HOST\_DISK\_INVALID\_VALUE*  
The specified device is not a valid physical disk device.
- 14004 – *VIX\_E\_HOST\_DISK\_SECTORSIZE*  
Disk sector size check failed.
- 14005 – *VIX\_E\_HOST\_FILE\_ERROR\_EOF*  
Read beyond the end of file.
- 14006 – *VIX\_E\_HOST\_NETBLKDEV\_HANDSHAKE*  
Error in protocol.
- 14007 – *VIX\_E\_HOST\_SOCKET\_CREATION\_ERROR*  
Unable to create socket.
- 14008 – *VIX\_E\_HOST\_SERVER\_NOT\_FOUND*  
The specified server could not be contacted.
- 14009 – *VIX\_E\_HOST\_NETWORK\_CONN\_REFUSED*  
The server refused connection.
- 14010 – *VIX\_E\_HOST\_TCP\_SOCKET\_ERROR*  
There was an error in communication.
- 14011 – *VIX\_E\_HOST\_TCP\_CONN\_LOST*  
The connection was lost.
- 14012 – *VIX\_E\_HOST\_NBD\_HASHFILE\_VOLUME*  
*NBD\_ERR\_HASHFILE\_VOLUME.*
- 14013 – *VIX\_E\_HOST\_NBD\_HASHFILE\_INIT*  
*NBD\_ERR\_HASHFILE\_INIT.*
- 16000 – *VIX\_E\_DISK\_INVALID*  
One of the parameters supplied is invalid.
- 16001 – *VIX\_E\_DISK\_NOINIT*  
The disk library has not been initialized.

- 16002 – *VIX\_E\_DISK\_NOIO*  
The called function requires the virtual disk to be opened for I/O.
- 16003 – *VIX\_E\_DISK\_PARTIALCHAIN*  
The called function cannot be performed on partial chains. Please open the parent virtual disk.
- 16006 – *VIX\_E\_DISK\_NEEDSREPAIR*  
The specified virtual disk needs repair.
- 16007 – *VIX\_E\_DISK\_OUTOFRANGE*  
You have requested access to an area of the virtual disk that is out of bounds.
- 16008 – *VIX\_E\_DISK\_CID\_MISMATCH*  
The parent virtual disk has been modified since the child was created.
- 16009 – *VIX\_E\_DISK\_CANTSHRINK*  
The specified virtual disk cannot be shrunk because it is not the parent disk.
- 16010 – *VIX\_E\_DISK\_PARTMISMATCH*  
The partition table on the physical disk has changed since the disk was created. Remove the physical disk from the virtual machine, then add it again.
- 16011 – *VIX\_E\_DISK\_UNUPPORTEDDISKVERSION*  
than the version supported by this program.
- 16012 – *VIX\_E\_DISK\_OPENPARENT*  
The parent of this virtual disk could not be opened.
- 16013 – *VIX\_E\_DISK\_NOTSUPPORTED*  
The specified feature isn't supported by this version.
- 16014 – *VIX\_E\_DISK\_NEEDKEY*  
One or more required keys were not provided.
- 16015 – *VIX\_E\_DISK\_NOKEYOVERRIDE*  
Won't create unencrypted child of encrypted disk without explicit request.
- 16016 – *VIX\_E\_DISK\_NOTENCRYPTED*  
Not an encrypted disk.
- 16017 – *VIX\_E\_DISK\_NOKEY*  
No keys supplied for encrypting disk.



- 16018 – *VIX\_E\_DISK\_INVALIDPARTITIONTABLE*  
The partition table is invalid.
- 16019 – *VIX\_E\_DISK\_NOTNORMAL*  
Only sparse extents with embedded descriptors may be encrypted.
- 16020 – *VIX\_E\_DISK\_NOTENCDESC*  
Not an encrypted descriptor file.
- 16022 – *VIX\_E\_DISK\_NEEDVMFS*  
File system isn't VMFS.
- 16024 – *VIX\_E\_DISK\_RAWTOOBIG*  
The physical disk is too big. The maximum size allowed is 2TB.
- 16027 – *VIX\_E\_DISK\_TOOMANYOPENFILES*  
The host's limit for open files has been exceeded.
- 16028 – *VIX\_E\_DISK\_TOOMANYREDO*  
Too many levels of redo logs.
- 16029 – *VIX\_E\_DISK\_RAWTOOSMALL*  
The physical disk is too small.
- 16030 – *VIX\_E\_DISK\_INVALIDCHAIN*  
Invalid disk chain: cannot mix hosted and managed style disks in the same chain.
- 16052 – *VIX\_E\_DISK\_KEY\_NOTFOUND*  
The specified key is not found in the disk data base.
- 16053 – *VIX\_E\_DISK\_SUBSYSTEM\_INIT\_FAIL*  
One or more required subsystems failed to initialize.
- 16054 – *VIX\_E\_DISK\_INVALID\_CONNECTION*  
Invalid connection handle.
- 17000 – *VIX\_E\_CRYPT\_UNKNOWN\_ALGORITHM*  
Security library error.
- 17001 – *VIX\_E\_CRYPT\_BAD\_BUFFER\_SIZE*  
Security library error.
- 17002 – *VIX\_E\_CRYPT\_INVALID\_OPERATION*  
Security library error.

- 17003 – *VIX\_E\_CRYPTO\_RANDOM\_DEVICE*  
Security library error.
- 17004 – *VIX\_E\_CRYPTO\_NEED\_PASSWORD*  
Security library error.
- 17005 – *VIX\_E\_CRYPTO\_BAS\_PASSWORD*  
Security library error.
- 17006 – *VIX\_E\_CRYPTO\_NOT\_IN\_DICTIONARY*  
Security library error.
- 17007 – *VIX\_E\_CRYPTO\_NO\_CRYPTO*  
Security library error.
- 17008 – *VIX\_E\_CRYPTO\_ERROR*  
Security library error.
- 17009 – *VIX\_E\_CRYPTO\_BAD\_FORMAT*  
Security library error.
- 17010 – *VIX\_E\_CRYPTO\_LOCKED*  
Security library error.
- 17011 – *VIX\_E\_CRYPTO\_EMPTY*  
Security library error.
- 17012 – *VIX\_E\_CRYPTO\_KEYSAME\_LOCATOR*  
Security library error.
- 18000 – *VIX\_E\_CANNOT\_CONNECT\_TO\_HOST*  
Cannot connect to host.
- 18001 – *VIX\_E\_NOT\_FOR\_REMOTE\_HOST*  
This feature can only be supported on local host.
- 20000 – *VIX\_E\_GUEST\_VOLUMES\_NOT\_FROZEN*  
Drives are not frozen.
- 20001 – *VIX\_E\_NOT\_A\_FILE*  
The object is not a file.

20002 – *VIX\_E\_NOT\_A\_DIRECTORY*  
The object is not a directory.

20003 – *VIX\_E\_NO\_SUCH\_PROCESS*  
No such process.

20004 – *VIX\_E\_FILE\_NAME\_TOO\_LONG*  
File name too long.